

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--|------------------|---------|------------------|
| S1 | 17226 | virtual near6 (circuit link connection) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/06 16:25 |
| S2 | 1836 | S1 same (rout\$3 near6 (data packet\$1 info information)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:11 |
| S3 | 16 | S2 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/06 16:30 |
| S4 | 396 | 713/310.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:05 |
| S5 | 32 | S4 and network.ti. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:05 |
| S6 | 7 | S4 and network.ti. and bridge | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:20 |
| S7 | 196172 | ((rout\$3 path) near6 (data packet\$1 info information)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:11 |
| S8 | 17256 | virtual near6 (circuit link connection) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:12 |
| S9 | 4415 | ((data near1 link) data\$link) near6 protocol | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:22 |
| S10 | 12 | S7 same S8 same S9 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:44 |
| S11 | 3 | (S7 same S8 same S9) and bridge | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:24 |
| S12 | 9 | (S7 same S8 same S9) not S11 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 08:44 |

| | | | | | | |
|-----|---------|---|--|----|-----|------------------|
| S13 | 1026285 | ((switch\$3 SAN) near2 fabric) (fibre\$channel) switch bridge | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:56 |
| S14 | 119363 | (path routing route) near3 (info information packet\$1 data) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:50 |
| S15 | 8726 | (virtual) near3 (link connection) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:51 |
| S16 | 226 | S13 same S14 same S15 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:52 |
| S17 | 345 | S15 and (709/230.ccls. 709/238. ccls. 709/245.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:53 |
| S18 | 6 | S16 and (709/230.ccls. 709/238. ccls. 709/245.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:57 |
| S19 | 251268 | ((switch\$3 SAN) near2 fabric) (fibre\$channel) (switch near6 bridge) bridge | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 11:57 |
| S20 | 56 | S19 same S14 same S15 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 12:04 |
| S21 | 810 | pci near1 express | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 12:04 |
| S22 | 8 | S21 and (709/230.ccls. 709/238. ccls. 709/245.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 12:06 |
| S23 | 19 | S21 same S19 same S14 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/07 12:07 |
| S24 | 8 | ("5999514" "6118782" "6222843" "6343083" "6418126" "6421316" "6421321").PN. OR ("6714544").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/02/07 16:23 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S25 | 197932 | (establish\$3 mak\$3) near6 (link connection (virtual near3 (link circuit connection))) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:43 |
| S26 | 81385 | (initiat\$3 start\$3 begin\$4) near6 (transaction communication connection) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:44 |
| S27 | 15771 | (virtual near3 (link connection circuit)) connection\$oriented | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:48 |
| S28 | 852394 | switch (switching near3 fabric) (fibre\$channel) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:11 |
| S29 | 48 | S25 same S26 same S27 same S28 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:49 |
| S30 | 1 | S29 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:57 |
| S31 | 47 | S29 not S30 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 08:58 |
| S32 | 12 | (S29 not S30) and bridge\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:02 |
| S33 | 35 | S31 not S32 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:02 |
| S34 | 8373 | (switch\$ near3 fabric) (fibre\$channel) (san\$fabric) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:11 |
| S35 | 289941 | protocol | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:12 |
| S36 | 27 | S35 same S34 same S27 and S25 and S26 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:12 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S37 | 3 | S35 same S34 same S27 same S25 same S26 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:14 |
| S38 | 4 | S34 same S27 same S25 same S26 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:16 |
| S39 | 151109 | (rout\$3 path) near3 (info information data packet\$1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:17 |
| S40 | 8714 | S25 same S26 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:17 |
| S41 | 230 | S40 same S27 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:17 |
| S42 | 4 | S40 same S27 same S34 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:18 |
| S43 | 4 | S41 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:18 |
| S44 | 2785 | ((data near1 link) near3 protocol) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:32 |
| S45 | 93 | S44 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:32 |
| S46 | 12 | S34 same S44 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 09:32 |
| S47 | 81385 | (initiat\$3 start\$3 begin\$4) near6 (transaction communication connection) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:11 |
| S48 | 197932 | (establish\$3 mak\$3) near6 (link connection (virtual near3 (link circuit connection))) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:12 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S49 | 8373 | (switch\$ near3 fabric) (fibre\$channel) (san\$fabric) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:12 |
| S50 | 151109 | (rout\$3 path) near3 (info information data packet\$1) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:12 |
| S51 | 15771 | (virtual near3 (link connection circuit)) connection\$oriented | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:13 |
| S52 | 3 | S47 same S48 same S49 same S50 same S51 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:14 |
| S53 | 19 | S47 same S48 same S49 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:15 |
| S54 | 8 | S47 same S48 same S49 and S50 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:15 |
| S55 | 11 | S47 same S49 same S50 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:17 |
| S56 | 1953 | S49 same S50 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:33 |
| S57 | 24 | S56 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:33 |
| S58 | 16 | (S49 near10 (compris\$3 contain\$3 includ\$3)) near10 bridges | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:35 |
| S59 | 1 | S58 same S50 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 10:35 |
| S60 | 136 | (data\$link near3 packet) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 11:50 |

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S61 | 1689 | bridge\$1 near6 register\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:14 |
| S62 | 102 | S61 and "709".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:01 |
| S63 | 5 | S61 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:03 |
| S64 | 97 | S62 not S63 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:12 |
| S65 | 1090 | bridge\$1 with (contain\$3 compris\$3 includ\$3) with register\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:15 |
| S66 | 63 | S65 and "709".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:15 |
| S67 | 1481 | PCI\$express PCI\$x | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:56 |
| S68 | 317 | S67 and ((switch\$ near3 fabric) (fibre\$channel) (san\$fabric)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:50 |
| S69 | 108 | S67 same ((switch\$ near3 fabric) (fibre\$channel) (san\$fabric)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:50 |
| S70 | 24 | S69 same bridge | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 12:50 |
| S71 | 25 | S69 same bridge\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:36 |
| S72 | 12051 | power adj1 management | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:36 |

| | | | | | | |
|-----|---------|--|--|----|-----|------------------|
| S73 | 18 | S72 and 709/230.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:37 |
| S74 | 28 | S72 same (pci\$express pci\$x) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:38 |
| S75 | 2 | (S72 same (pci\$express pci\$x)) and "709".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:39 |
| S76 | 620 | (network shared) near10 (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:43 |
| S77 | 594 | (network) near10 (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:43 |
| S78 | 3 | S77 same (shared near10 (power adj1 management)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:44 |
| S79 | 28 | S67 same (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:57 |
| S80 | 222 | PCI\$express | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:57 |
| S81 | 293 | shared same (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:58 |
| S82 | 117 | S81 same (scheme status state mode) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 15:58 |
| S83 | 33 | shared near10 (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:01 |
| S84 | 1465852 | (switch\$3 fabric\$1) (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:01 |

| | | | | | | |
|-----|---------|---|--|----|-----|------------------|
| S85 | 2591 | (switch\$3 fabric\$1) same (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:01 |
| S86 | 1027 | (switch\$3 fabric\$1) near10 (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:02 |
| S87 | 6 | S83 same (fabric\$1 switch\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:04 |
| S88 | 1 | S83 same (fabric\$1 near3 switch\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:04 |
| S89 | 1923996 | (link near2 partners) devices computers servers | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:05 |
| S90 | 7 | S89 same S83 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:07 |
| S91 | 154 | shared near10 (power near2 (state mode status method)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:09 |
| S92 | 4 | S91 and "709".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:08 |
| S93 | 4534 | ("same" similar identical shared) near10 (power near2 (state mode status method)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:27 |
| S94 | 34 | S93 and "709".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:10 |
| S95 | 1321 | S93 same (first second both) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:16 |
| S96 | 622 | S93 with (first second both) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:17 |

| | | | | | | |
|----------|-------|--|--|----|-----|------------------|
| S97 | 147 | S93 with ((first second both) near3 computers devices servers) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:17 |
| S98 | 5 | ((("same" similar identical shared) near10 (power near2 (state mode status method))) with ((first second both) near3 (computers devices servers))) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:27 |
| S99 | 133 | ((("same" similar identical shared) near10 (power near2 (state mode status method))) and 713/300.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:30 |
| S10 0 | 9 | S99 and network.ti. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:28 |
| S10 1 | 354 | ((("same" similar identical shared) near10 (power near2 (state mode status method))) same (computers devices links servers) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:31 |
| S10 2 | 27 | S101 and 713/300.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:31 |
| S10 3 | 1482 | pci\$express express\$pci pci\$x | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:56 |
| S10 4 | 0 | S103 near10 power\$managment | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:56 |
| S10 5 | 7 | S103 near10 (power adj1 management) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:57 |
| S10 6 | 159 | S103 near10 (fabric switch\$3 fibre) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:57 |
| S10 7 | 2 | S103 near10 (fabric switch\$3 fibre) near10 power | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 16:59 |
| S10 8 | 92703 | (initiat\$3 start\$3 instantiat\$3 begin\$4) near6 (transaction connection communication link) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:33 |

| | | | | | | |
|------|-------|--|-------------------------------|----|-----|------------------|
| S109 | 2983 | ((establish\$3 mak\$3 creat\$3) near6 ((virtual) near3 (circuit connection link partnership)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:34 |
| S110 | 191 | S108 same S109 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:35 |
| S111 | 3 | S110 same ((switch\$3 near3 (fabric)) (fibre near3 channel) (san near3 fabric)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:37 |
| S112 | 110 | S110 and "370".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:37 |
| S113 | 14 | S112 and fabric | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/08 17:37 |
| S114 | 14000 | ((san switch\$3) near3 fabric) (fibre\$channel (fiber adj2 channel)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:44 |
| S115 | 2716 | S114 and bridge\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:44 |
| S116 | 628 | S114 same bridge\$1 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:44 |
| S117 | 216 | S116 and "370".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:45 |
| S118 | 8 | S116 same ((initiat\$3 start\$3 mak\$3) near2 (link connection communication (virtual adj2 (link circuit)))) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:50 |
| S119 | 6 | S118 and "370".clas. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 06:46 |
| S120 | 3 | "687512".ap. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | OFF | 2006/02/09 07:55 |